


Amador Water Agency

Annual Consumer Confidence Report

For the Reporting Period January 1, 2009 to
December 31, 2009

We are pleased to present this year's Annual Consumer Confidence Report. This report is designed to inform you about the quality of the water we deliver to you. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. If you have any questions regarding this report please feel free to contact us at **209-223-3018**. If you would like to learn more, you can view our webpage @ www.amadorwater.org or please feel free to attend any of our regularly scheduled board meetings. These meetings are held the 2nd and 4th Thursday of every month at 12800 Ridge Road in Sutter Creek.

Espanol – (Spanish): Este informe contiene informacion muy importante sobre su agua beber. Traduzcalo o hable con alguien que lo entienda bien.



Water Sources

The North Fork of the Mokelumne River, located in the Sierra Nevada Mountains, is the primary water source for the Buckhorn (BH) water system, the Amador Water System (AWS), and the PG&E Tiger Creek Powerhouse system. The Tiger Creek micro filtration plant draws its water supply from Tiger Creek, a small tributary to the Mokelumne River and serves the PG& E Tiger Creek Power House and Conference Center.

Water from the Mokelumne River is also treated at our Buckhorn micro filtration plant for use by the customers of Pine Grove, Pine Acres, Sunset Heights, Fairway Pines, Jackson Pines, Pioneer, Gayla Manor, Ranch House Estates, Toma Lane, and Sierra Highlands. Water from the Mokelumne River also supplies the newly installed Amador pipeline to the Tanner Water Treatment Plant where it is treated for use by the customers of Jackson, Sutter Creek, Amador City, and Drytown. The Ione Pipeline transports raw water from the Tanner Reservoir to the Ione Water Treatment Plant where it is treated for use by the customers of Ione. Our LaMel Heights customers get their water from two wells located in the LaMel Heights Subdivision and our Lake Camanche residents get their water from four wells located in the Lake Camanche area.

Water Quality Assurance Testing and Monitoring

The Amador Water Agency routinely monitors for contaminants in your drinking water in accordance with Federal and State laws. Unless otherwise indicated, the results contained in this report are for the monitoring period of January 1, 2009 to December 31, 2009. This report contains results from laboratory testing, excluding contaminants that were not detected, or that were detected at a level below the State's DLR (Detection Level for purposes of Reporting). However, if the DLR is exceeded for one system, the results for that contaminant will be shown for all systems utilizing the same source of treatment. Drinking water, including bottled drinking water, may reasonably be expected to contain small amounts of some contaminants. The presence of some contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the **USEPA's Safe Drinking Water Hotline at 1-800-426-4791**, or log on to www.epa.gov/safewater.

Test Results

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include: Microbiological contaminants, such as viruses and bacteria that may come from septic systems, agricultural operations (livestock), and wildlife; Inorganic contaminants, such as salts and metals, either naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or

farming. Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses; Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems. Radioactive contaminants, that can be naturally-occurring or a result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (USEPA) and the State Department of Public Health (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Did you know?

97% of the Earth's water is ocean or seas, 2% is frozen and only 1% is suitable for drinking water

Source Water Assessments

An assessment of the Sutter Creek water system drinking water source (Amador Canal from Lake Tabeaud to Tanner Reservoir) was completed in May 2001. The source is considered most vulnerable to the following activities: Large animal grazing, pesticide/fertilizer storage, transfer areas in the Watershed and recreational area adjacent to the surface water source (Lake Tabeaud).

An assessment of the drinking water source for LaMel Heights Water System was completed in March 2006. The source is considered most vulnerable to the following activities: Septic Systems.

An assessment of Buckhorn drinking water source (Tiger Creek Reservoir) was completed in December 2001. The source is considered most vulnerable to the following activities: Recreational Areas on Surface Water Source, Managed Forests and Utility Stations in the watershed.

An assessment of the Tiger Creek After bay was completed in 2001. The source is considered most vulnerable to illegal dumping and shooting at the old quarry site. Chemicals are stored at the powerhouse. There are nearby sewage disposal systems for residential and commercial use.

An assessment of the Ione drinking water source (Ione Reservoir) was completed in 2007. The source is considered most vulnerable to the following activities: Grazing (>5 large animals or equivalent/ acre), railroads and storm drain discharge.

An assessment of Well 06 in Amador County Service Area #3 Unit 6 was conducted in May 2001. The source is considered most vulnerable to the following activities not associated with any

detected contaminant: Automobile Gas stations.

An assessment of Well 09 in Amador County Service Area #3 Unit 6 was completed in May 2001. The source is considered most vulnerable to the following activities not associated with any detected contaminants: Other Animal Operations.

An assessment of Well 12A (replaced 12) in Amador County Service Area #3 Unit 6 was completed in May 2001. The source is considered most vulnerable to the following activities not associated with any detected contaminants: Wastewater Treatment Plants.

An assessment of Well 14 in Amador County Service Area #3 was completed in March 2007. The source is considered most vulnerable to the following activities not associated with any detected contaminants: Other Animal Operations and Agricultural Drainage.

The source assessments are available for review at the California Department of Public Health office at 31 E. Channel St Rm 270, Stockton CA. 95202, or the Amador Water Agency administrative offices located at 12800 Ridge Rd Sutter Creek, CA or visit us on the web at www.amadorwater.org. *You may request a summary of the assessment be sent to you by contacting Chris McKeage at 209-223-3018*

Definition of Terms

Cal/EPA – California Environmental Protection Agency – California's environmental authority. This Cabinet level agency houses several departmental agencies committed to protecting California's air, land, and water resources.

Cryptosporidium-is a microbial pathogen that can cause an abdominal infection with symptoms such as nausea, cramps, and diarrhea.

EPA – Environmental Protection Agency - A United States governmental agency created to protect human health and safeguard the natural environment.

Grains per Gallon (gpg) – Used to determine the hardness of water based on the concentration of grains per gallon of calcium and/or magnesium. A typical aspirin equals about five grains of material. If the aspirin were dissolved in a gallon of water it would add five grains of "aspirin" to the gallon of water.

Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. Primary MCL's are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal - The "goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of

a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Nephelometric Turbidity Unit (NTU) - Nephelometric turbidity unit is a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person. We monitor it because it is a good indicator of water quality. High turbidity can hinder the effectiveness of disinfectants.

Non-Detects (ND) - Laboratory analysis indicates that the contaminant is not detectable at the testing limit.

Parts per trillion (ppt) or Picograms per liter - One part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

Parts per billion (ppb) or Micrograms per liter - One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per million (ppm) or Milligrams per liter (mg/l) - One part per million corresponds to one minute in two years, or a single penny in \$10,000.

Picocuries per liter (pCi/l) - Picocuries per liter is a measure of the radioactivity in water.

Presence/Absence (PA) - When testing to find the presence or absence of an element, mineral or contaminant, the test results will be positive (presence) or negative (absence), no quantities determined.

Primary Drinking Water Standard (PDWS) - MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Public Health Goal (PHG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Regulatory Action Level - The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements that a water system must follow.

Secondary Drinking Water Standards (SDWS) - MCLs for contaminants that affect taste, odor or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL level.

Treatment Technique (TT) - A required process intended to reduce the level of a contaminant in drinking water.

System Violations

Buckhorn System had a monitoring violation February 2009. AWA collected 11 routine total coliform bacteria samples when it was required to collect 12 samples which resulted in a violation of Section 64423 (a) (1), Title 22.

Drytown County Water District exceeded the Action Level for Lead. The two highest samples when averaged together (90th percentile) resulted in 25.5 ug/L which violates the Action Level of 15 ug/L. Plant adjustments have already been made to address this.

Drytown County Water District exceeded the Action Level for Copper. The two highest samples when averaged together (90th percentile) resulted in 4.3 mg/L which violates the Action Level of 1.3 mg/L. Plant adjustments have already been made to address this.

City of Jackson exceeded the Action Level for Lead. The third highest sample (90th percentile) resulted in 16.1 ug/L which violates the Action Level of 15 ug/L. Plant adjustments have already been made to address this.

Lone System exceeded the Total Coliform bacteria in August 2009 in 2 samples. No fecal coliform was detected and all subsequent samples were negative. All system lines were flushed and the public notified.

Did you know?

The first water pipes in the U.S were made from fire charred, bored logs

Health Issues

In California, drinking water standards known as "Maximum Contaminant Levels" or "MCL_s" are set in two categories, primary and secondary. Primary Standards are set to protect the public from substances in water that may be immediately harmful or affect their health if consumed for long periods of time (70+Years). Test results indicating levels above these standards require immediate action by the water supplier. Secondary Standards relate to aesthetic qualities such as taste, mineral content, odor, and clarity. These standards specify limits for substances that may influence consumer acceptance of water.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care providers about drinking water. USEPA/ Center for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by **Cryptosporidium** and other microbial contaminants are available from the **Safe Drinking Water Hotline (1-800-426-4791)**.

AWA staff and directors recognize that these are challenging economic times and no one knows what the future will hold, however, in continuing our commitment to water quality, we at the Amador Water Agency appreciate the opportunity to serve our customers, year round, with safe and dependable water.

Service Area (District)	Microbiological Contaminants				Lead and Copper			
	Total Coliform Bacteria	Fecal Coliform and E. Coli	# of Sites Sampled	Year Sampled	Lead Results 15 ppb (MCL)		Copper Results 1.30 ppm (MCL)	
	Violation of the MCL (description below)	Violation of the MCL (description below)			90% Level in ppb	# of sites >15ppb	90% Level in ppm	# of sites >1.30 ppm
AWS (Ione)*	2 positive samples	None to Report	20	2007	<3.0	0	0.17	0
AWS (Sutter Creek, Amador City)	None to Report	None to Report	20	2007	5.70	2	0.06	0
City of Jackson**	None to Report	None to Report	20	2009	16.10	3	0.12	0
Service Area (District)	None to Report	None to Report	10	2009	<3.0	0	0.06	0
First Mace Meadow Water District (Unit 2)	None to Report	None to Report	5	2009	3.00	0	0.18	0
ID#3 LaMel	None to Report	None to Report	10	2009	<3.0	0	0.43	0
Buckhorn	None to Report	None to Report	20	2009	<3.0	0	0.15	0
ID #7 (Lake Camanche)	None to Report	None to Report	10	2007	<3.0	0	0.43	0
PG&E	None to Report	None to Report	5	2008	3.20	0	0.25	0
Pine Grove CSD	None to Report	None to Report	20	2009	5.00	0	0.10	0
Rabb Park CSD	None to Report	None to Report	10	2009	7.20	0	0.16	0
Drytown ***	None to Report	None to Report	5	2009	25.50	1	4.30	1

Total Coliform Bacteria: Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other potentially-harmful, bacteria may be present. Coliforms found in more samples than allowed is a warning of potential problems.

*** Ione system had 2 positive samples which exceeded the MCL for Total Coliform and the public was notified in August of 2009.**

Fecal Coliform and E. Coli- Bacteria whose presence indicates that the water may be contaminated with human or animal wastes. Microbes in these wastes can cause short term effects, such as diarrhea, cramps, nausea, headaches, or other symptoms. They may pose a special health risk for infants, young children, some of the elderly and people with severely-compromised immune systems.

Copper- Copper is an essential nutrient, but some people who drink water containing copper in excess of the action level over a relatively short amount of time may experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over many years may suffer liver or kidney damage. People with Wilson's Disease should consult their personal doctor.

Lead- If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The above listed water utilities are responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline 1-800-726-4791 or at <http://www.epa.gov/safewater/lead>.

**** City of Jackson exceeded the lead MCL. *** Drytown County Water District exceeded the lead and copper MCL.**

Turbidity -Surface Water Treatment Facilities Only															
Contaminant	Units	MCL	AWS				CAWP				PG&E at Tiger Creek				Likely Source of Contamination
			Tanner WTP		Ione WTP		Buckhorn WTP		Memcor Plant		Violation		Violation		
			Maximum Turbidity Recorded	% of Samples <0.3	Maximum Turbidity Recorded	% of Samples <0.3	Maximum Turbidity Recorded	% of Samples <0.1	Maximum Turbidity Recorded	% of Samples <0.3					
Turbidity	NTU	95%	0.29	100%	No	0.23	100%	No	0.12	100%	No	0.08	100%	No	Soil run off

Turbidity has no health effects. However, high levels of turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease causing organisms. These organisms include bacteria, viruses, and parasites which can cause symptoms such as nausea, cramps, diarrhea, and associated headaches.

Inorganic Analysis																				Likely Source of Contamination	
Chemical or Constituent	Units	MCL (AL)	DLR	PHG (MCLG)	Violation Y/N	AWS		CAWP		LA MEL				ID #7 Lake Camanche Results				Likely Source of Contamination			
						Results	YR	Results	Yr	Well 1	Yr.	Well 2	Yr.	Well 6	Well 9	Well 12A	Yr		Well 14	Yr	
Aluminum	ppb	1000	50	600	N	84	2009	50	2009	<50	2008	<50	2008	<50	<50	2008	<50	2007	Erosion of natural deposits; residue from surface water treatment processes.		
Arsenic	ppb	50	2	0	N	<2.0	2009	<2.0	2009	<2.0	2008	<2.0	2008	<2.0	<2.0	3.2	2008	4.4	2007	Erosion of natural deposits; run off from orchards; glass and electronics production wastes	
Nitrate (NO3)	ppb	45000	50	45000	N	88	2008	52	2009	1700	2008	400	2008	8400	11000	6200	2008	1500	2007	Run off and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits	
Asbestos	MFL	7	7	7	N	First Mace Meadow Water District, Unit 1 conducted asbestos monitoring in their distribution system. The result was 0.2 MFL. Lake Camanche also conducted monitoring in its distribution system and the results were N/D (non detect).														Internal corrosion of asbestos cement water mains; erosion of natural deposits.	

General Mineral & Physical (*) indicates Secondary Standards)**

General Mineral & Physical (***) indicates Secondary Standards)																				Likely Source of Contamination	
Chemical or Constituent	Units	MCL (AL)	DLR	PHG (MCLG)	Violation Y/N	AWS		CAWP		LA MEL				ID #7 Lake Camanche Results				Likely Source of Contamination			
						Results	YR	Results	Yr	Well 1	Yr.	Well 2	Yr.	Well 6	Well 9	Well 12A	Yr		Well 14	Yr	
Alkalinity	ppm	N/A	5	N/A	N	20	2009	15	2009	17	2008	33	2008	74	56	83	2008	53	2007	N/A	
Calcium	ppm	N/A	3	N/A	N	6.3	2009	4.7	2009	3.2	2008	4.8	2008	18.9	9.5	15.8	2008	9.5	2007	N/A	
Color	Units	15	3	N/A	N	15	2009	12	2009	<3	2008	<3	2008	<3	<3	<3	2008	<3	2007	Naturally occurring organic materials	
Hardness	ppm	N/A	5	N/A	N	20	2009	43	2009	16	2008	28	2008	67	51.2	67	2008	48	2007	Usually naturally occurring. The sum of polyvalent cations present in the water, generally magnesium and calcium.	
Iron+	ppb	300	50	N/A	N	147	2009	72	2009	<20	2008	<20	2008	<20	<20	<20	2008	67	2007	Internal corrosion of household plumbing systems; Leaching of natural deposits; industrial wastes.	
Manganese+	ppb	50	20	N/A	N	9.4	2009	7.2	2009	<5.0	2008	<5.0	2008	<5.0	<5.0	<5.0	2008	<5	2007	Leaching from natural deposits	
pH+	units	N/A	N/A	N/A	N	7.7	2009	7.2	2009	5.6	2008	6	2008	7.1	6.9	7.4	2008	7.2	2007	N/A	
Sodium	ppm	N/A	N/A	N/A	N	2.6	2009	2.5	2009	3.8	2009	6.3	2009	10	11	18	2008	9.5	2007	Generally naturally-occurring salt present in the water	
Sulfate+	ppm	500	0.5	N/A	N	1.8	2009	1.2	2009	0.5	2008	0.65	2008	5	3.5	8.5	2008	1.5	2007	Run off from natural deposits; industrial waste	
Zinc+	ppb	5000	5	N/A	N	<5	2009	<5	2009	24	2008	58	2008	7.6	7.4	8.1	2008	86	2007	Run off leaching from natural deposit; industrial waste.	

DISINFECTION BY-PRODUCTS

TRICHALOMETHANES (ppb)

Service Area (District)	PHG OR MCLG OR MRDLG	MCL OR MRDL	RAA (RUNNING ANNUAL AVERAGE)	RANGE (ug/L)		MEETS STANDARD Y/N
AWS (Ione)	N/A	80	55.7	40.8	68	Y
AWS Tanner (Sutter Creek, Amador City)	N/A	80	43.5	36	47	Y
City of Jackson	N/A	80	62.8	46	81.3	Y
First Mace Meadow Water District (Unit 1)	N/A	80	70.4	47.3	92	Y
First Mace Meadow Water District (Unit 2)	N/A	80	53.7	38	67	Y
Buckhorn	N/A	80	73.3	40	130	Y
ID#3 (LaMel)	N/A	80	0	ND	ND	Y
ID #7 (Lake Camanche)	N/A	80	3.4	ND	3.7	Y
PG&E	N/A	80	31.7	24	37	Y
Pine Grove CSD	N/A	80	78	58.5	90	Y
Rabb Park CSD	N/A	80	75	68	75	Y
Drytown	N/A	80	63	-	-	Y

TRICHALOMETHANES (ppb) are a byproduct of drinking water disinfection. Some people who drink water containing Trihalomethanes in excess of the MCL over many years may experience liver, kidney, or central nervous system problems, and may have increased risk of getting cancer.

HALOACETIC ACIDS (ppb)

Service Area (District)	PHG OR MCLG OR MRDLG	MCL OR MRDL	RAA (RUNNING ANNUAL AVERAGE)	RANGE (ug/L)		MEETS STANDARD Y/N
AWS (Ione)	N/A	60	29	24.1	33	Y
AWS (Sutter Creek, Amador City)	N/A	60	37	24	51.1	Y
City of Jackson	N/A	60	33.8	24	44	Y
First Mace Meadow Water District (Unit 1)	N/A	60	59.8	38	74	Y
First Mace Meadow Water District (Unit 2)	N/A	60	55.8	32	82	Y
Buckhorn	N/A	60	54.6	1.8	82	Y
ID#3 (LaMel)	N/A	60	0	ND	ND	Y
ID #7 (Lake Camanche)	N/A	60	0	ND	ND	Y
PG&E	N/A	60	25.8	18	32	Y
Pine Grove CSD	N/A	60	47.3	31	49.2	Y
Rabb Park CSD	N/A	60	51	44	51	Y
Drytown	N/A	60	32	-	-	Y

HALOACETIC ACIDS (ppb)-are a byproduct of drinking water disinfection. Some people who drink water containing haloacetic acids in excess of the MCL over many years may have increased risk of getting cancer.

N/D- None detected

The Amador Water Agency is continuing to collect and analyze data regarding the disinfection byproducts. The Tanner and Ione Water Treatment Plants are doing a good job of treating the raw water for all aspects of water quality. The new Buckhorn Plant, although it does a very good job on suspended matter in the raw water, it seems to be less effective than the other plants on removing disinfection byproduct precursors that are in solution. The Agency is considering plant or distribution system modifications that could help lower system THM and HAA5's. In the mean time there are NO immediate health concerns. Exposure to these low levels of disinfection byproducts would take many years of constant consumption to put a customer at possible risk.

CHLORINE RESIDUAL ppm

Service Area (District)	PHG OR MCLG OR MRDLG	MCL OR MRDL	Year Tested	RAA (RUNNING ANNUAL AVERAGE)	RANGE (ug/L)		MEETS STANDARD Y/N
AWS (Ione)	4	4	2009	0.59	0.22	1.06	Y
AWS (Tanner - Sutter Creek and Amador City)	4	4	2009	0.72	0.05	1.13	Y
City of Jackson	4	4	2009	0.66	0.56	0.81	Y
First Mace Meadow Water District (Unit 1)	4	4	2009	0.61	0.32	0.93	Y
First Mace Meadow Water District (Unit 2)	4	4	2009	0.69	0.39	0.95	Y
Buckhorn	4	4	2009	0.43	0.00	0.99	Y
ID#3 (LaMel)	4	4	2009	0.61	0.41	0.86	Y
ID #7 (Lake Camanche)	4	4	2009	1.00	0.86	1.19	Y
PG&E	4	4	2009	0.64	0.25	0.94	Y
Pine Grove CSD	4	4	2009	0.66	0.60	0.70	Y
Rabb Park CSD	4	4	2009	0.47	0.32	0.63	Y
Drytown	4	4	2009	0.11	<.10	0.39	Y

The typical source of contaminant: Drinking water disinfectant added for treatment.

Health Effects: Some people who use water containing chlorine well in excess of the MRDL could experience irritating effects to their eyes and nose and possible stomach discomfort.

Gravity Supply Line

1. Will replace the existing, aging pumped transmission system
2. Will greatly reduce energy demand
3. Will cost less to treat the higher quality water
4. Funding availability
5. Increased capacity
6. Reduce operation and maintenance cost
8. Improve redundancy and reliability
9. Uses 2 million less kilowatt units per year
10. The GSL reduces environmental pollutants, and is overall more environmentally friendly



Water Purveyors' Contact Information:

Amador Water Agency
209-223-3018

12800 Ridge Rd Sutter Creek, CA 95685
Emergency 209-223-3018

City of Jackson
209-223-1646

33 Broadway Jackson, CA 95642
Emergency 209-223-0219

Pine Grove CSD
209-296-7188

PO Box 367 Pine Grove, CA 95665
Emergency 209-223-3018

Rabb Park CSD
209-296-3121

PO Box 1105 Pioneer, CA 95666
Emergency 209-295-4833

Drytown Co. Water Dist.
209-274-6480

PO Box 234 Drytown, CA 95699
Emergency 209-304-0940

First Mace Meadows Water Assoc.
209-296-3121

PO Box 85 Pioneer, CA 95666
Emergency 209-296-3121

PPSRST STD
U.S. POSTAGE
PAID
OXNARD, CA
PERMIT NO. 1233

Amador Water Agency
12800 Ridge Rd.
Sutter Creek, CA 95685